DATA ENTRY SHEET FOR LEAKAGE BENCHMARKING IN SOUTH AFRICA

Note: Note: An example has been included to assist you in completing this data sheet. The example input data can be seen in the pale blue shaded areas. Your input data should appear in the pale yellow shaded areas. The light green shaded areas are protected calculation fields and nothing can be entered in these fields.

Use the units as shown. If you have to use other units; you have to change the appropriate cells.

D1. GENERAL

Name of Water Undertaking	Siyathemba Mu	Siyathemba Municipality			
Name of Water Supply System	Prieska				
Contact Details:	Name	Mr CN van Wyk			
	Address	PO Box 16			
		Prieska			
		8940			
	Telephone	053-3535 306			
	Fax	053-3531 386			
	E-mail	psk.muni@prieska.co.za			

D2. SYSTEM DATA

Input Description	Variable	Example Data	Actual Data	Units	1
					<u> </u>
Length of Mains (Transmission + Distribution)	Lm	1500	67	km	
Number of Service Connections	Ns	60000	2831	Number	See Notes 1 & 2
Density of Service Connections (per km of mains)	Ns/Lm	40	42	Per km	
Percentage of time system is pressurised during year	Т	100	100	%	See Note 3
Average operating pressure when system pressurised	Р	45	35	metres	See Note 4
Population served by the supply system	Pop	100000	12000	Number	

Note 1:	The number of service connections is not always the same as the number of meters or billed accounts.	For South African conditions,	, however, you ca	n use the total of the
	number of metered accounts plus the estimated number of unmetered connections			

Note 2:	In South Africa customer meters are usually located
	close to the street/stand boundary. If this is not the
	case for your system, then add a note here.

Insert your comments in this space.

Note 3: Use T in % eg. If T = 80%, use 80 and not 0.8

Note 4: If you do not have an accurate figure, please make a best estimate and provide brief details of how you derived it.

Insert your comments in this space.						

D3. UNAVOIDABLE ANNUAL REAL LOSSES (UARL)

Details	Calculation	Example Result	Actual Data	Units
On mains	18 x Lm x P x 365 x T/10 ⁸	443	15	10 ³ m ³ /yr
On Service Connections	0.8 x Ns x P x 365 x T/10 ⁸	788	29	10 ³ m ³ /yr
Total Volume of UARL		1232	44	10 ³ m ³ /yr
UARL in litres/service conn./day when the system is pressurised	Annual Volume of UARL x 10 ⁶ / (Ns x 365 x T/100)	56	43	Litres/ conn./day

D4. ANNUAL WATER BALANCE DATA

D4a. Data Period

40 MONTH PERIOR FOR WILLOW		Example Data	Actual Data
12-MONTH PERIOD FOR WHICH DATA APPLIES	Start Date	April 1, 1998	July 1, 2001 June 30, 2002
DATA APPLIES	End Date	March 31, 1999	June 30, 2002

D4b. System Input Volume

Water Supplied			Example Da	ta			,	Actual Data		
	Metered 10 ³ m ³ /yr	Correction to da		Unmetered 10 ³ m ³ /yr	Total 10 ³ m ³ /yr	Metered 10 ³ m ³ /yr	Correction to Source Meter data		Unmetered 10 ³ m ³ /yr	Total 10 ³ m ³ /yr
		+/- %	10 ³ m ³ /yr	,.	,.	,	+/- %	10 ³ m ³ /yr	,.	,
From Own Sources:	36000	2.00%	720		36720	1180	2.50%	30		1210
From Other Suppliers:	1000			280	1280					
Total:	37000		720	280	38000	1180		30		1210

D4c. Components of Authorised Consumption

		Example Data					Actual Data				
Components of Authorised Consumption	ed Billed Billed Unbilled Unbilled Total 103 Billed Meters		Billed Metered 10 ³ m ³ /yr	Billed Unmetered 10 ³ m ³ /yr	Unbilled Metered 10 ³ m ³ /yr	Unbilled Unmetered 10 ³ m ³ /yr	Total 10 ³ m³/yr				
Water Exported:	1500				1500						
Households:	24500	500			25000	754				754	
Non-households:	6900	100			7000	290				290	
Standpipes:		500	10		510				10	10	
Firefighting:				100	100				24	24	
Mains Flushing:				100	100						
Building water:	1040				1040						
Other (specify):											
Other (specify):											
TOTALS:	33940	1100	10	200	35250	1044			34	1078	

D4d. Components of Water Losses

Details	Example Result	Actual Result	Units
Water Losses = System Input – Authorised Consumption	2750	132	10 ³ m ³ /yr
Percentage of Total Losses estimated to represent the Apparent Losses	20	20	%
Apparent Losses	550	26	10 ³ m ³ /yr
Annual Real Losses (ARL) = Water Losses – Apparent Losses	2200	105	10 ³ m ³ /yr

D5. SELECTED OPERATIONAL PERFORMANCE INDICATORS

D5a. Current Annual Real Losses per Connection (CARL) at Current Pressures

Details	Calculation	Example Result	Actual Result	Units
CARL is expressed in Litres/service connection/day, when system is pressurised	ARL x 10 ⁶ / (Ns x T/100 x 365)	100	102	Litres /conn./day
Consumption in litres/conn/day		1610	1043	Litres /conn./day

D5b. Infrastructure Leakage Index (ILI)

Details	Calculation	Example Result	Actual Result
ILI is the ratio of Current Annual Real Losses (CARL) to Unavoidable Annual Real Losses	CARL / UARL	1.79	2.37

D5c. Non-Revenue Water as a % by Volume of System Input

Description of Unbilled Items		Example Resu	ılt		Actual Result	Actual Result		
	Volume System Inpu		% of System Input	Volume	System Input	% of System Input		
	10 ³ m ³ /yr	10 ³ m ³ /yr		10 ³ m ³ /yr	10 ³ m ³ /yr			
Unbilled Consumption	210	38000	0.55	34	1210	2.81		
Apparent Losses:	550	38000	1.45	26	1210	2.17		
Real Losses:	2200	38000	5.79	105	1210	8.70		
Total Unbilled:	2960	38000	7.79	166	1210	13.68		

D6. SELECTED FINANCIAL PERFORMANCE INDICATORS

D6a. Local Valuation of Real and Apparent Losses

Details	Example Result	Actual Result	Units
Unit Value of Real Losses (eg bulk purchase price)	0.15	0.87	R/m³
Unit Value of Apparent Losses (eg selling price)	2.70	1.50	R /m ³

D6b. Annual Cost of Running System

Details	Example Cost	Actual Cost	Units	
Annual Cost of running system in 1000's of Rand per year	45000	1742	10 ³ R/year	

D6c. Non-Revenue Water as % by Value of Cost of Running System

Description of Unbilled Items	Example Result				Actual Result			
	Volume	Unit Value	Value	% of Annual Running Costs	Volume	Unit Value	Value	% of Annual Running Costs
	10 ³ m ³ /yr	R /m³	10 ³ R/year	Costs	10 ³ m ³ /yr	(R /m ³)	10 ³ R/year	Costs
Unbilled Consumption	210	2.70	567	1.26	34	1.50	51	2.93
Apparent Losses:	550	2.70	1485	3.30	26	1.50	39	2.26
Real Losses:	2200	0.15	330	0.73	105	0.87	92	5.25
Total Unbilled:	2960		2382	5.29	166		182	10.45